



Civic/Civic FR




Colour Range



Brilliant White*




Ghost



Champagne




Platinum



Concrete



Alpaca



Bluestone



Knight



Licorice*

* Civic colours also available with dark grey foam backing.

Blockout Fabric

Roller Blinds | Panel Glide
3.0m width

Civic/Civic FR

Technical Information

	Civic [^]	Civic FR*
Opacity	Blockout	Blockout
Composition:	100% Polyester	100% Polyester
Thickness:	0.44 mm ± 10%	0.49 mm ± 10%
Weight:	410 gsm ± 10%	466 gsm ± 10%
Cutting*:	Ultrasonic Cut	Ultrasonic Cut
Colourfastness:	6-7 Blue Scale (AS 2001.4.21)	
Applications	Roller Blinds and Panel GLide	
Features:		



Civic fabric meets the certification requirements set by Oeko-Tex for the exclusion of harmful substances.



Civic and Civic FR fabrics have been tested and are Greenguard® Gold Certified to meet strict certification criteria for low Volatile Organic Compound (VOC) emissions and are acceptable for use in environments such as schools and healthcare facilities (IEQ-11).

Range:	Item:	Width:	Roll Length:
Civic:	82.537.xxx	3000 mm	25 metres
Civic FR:	82.538.xxx	3000 mm	25 metres

Care & Cleaning Dusting with a feather duster is all that is required to keep your fabric looking good. For the removal of stains, dirt and grime, gently wipe fabric skins with a sponge soaked in lukewarm water. If marks are still visible, add a little detergent. Then dry gently with a clean cloth. Test in inconspicuous area before spot cleaning.

5 Year Warranty* Turnils Collage fabrics are backed by a 5 year warranty for your peace of mind.



Fire Retardancy Information for Civic FR*

Independently tested to AS1530.2 and AS1530.3. Suitable for classes 1, 2 to 9 (a) – (c) and 10 buildings as per BCA.

Spread of Flame	(Range 0-10)	0
Heat Evolved	(Range 0-10)	0
Smoke Developed	(Range 0-10)	7
Ignitability	(Range 0-20)	15
Flammability		4

Fire Retardancy Information For NON FR Products[^]:

Suitable for all building classes EXCEPT Class 9(b) entertainment venues. A summary of BCA requirements can be provided on request.

[^] Fabrics which are not FR treated, have been FR tested and have a Flammability result over 6 or fabrics which are not FR treated and have not undergone FR testing.

For more information contact our customer service team or visit: hunterdouglas.com.au/enquiry

turnilscollage.com.au